





So innovative. So Cost Effective.

DynaTone
AUTOMOTIVE COATINGS

CATALOG 2010



WHY DynaTone?

DynaTone is the latest addition to the Alsa Corporation's full-service line of specialty automotive products. Alsa® is an international manufacturer of paints, coatings and unique surface decoration finishes. DynaTone reducers, hardeners & clearcoats offer you premium quality commodity products at unheard of prices.

With the most inclusive *Lifetime Warranty* in the industry you can be sure your customers will be happy for years to come. DynaTone products are made with only the highest grade resins and solvent blends to insure high UV resistance as well as prevent "shrinking" or discoloring over time.

🔍 Comparable to ALL the leading brands including: PPG®, DuPont®, Sherwin Williams®, Valspar®, Standox®, Sikkens®, ICI®, Glasurit®, Diamont®, Nason®, Global®, Lesonal®, and Western®

💰 Unbeatable pricing

🚶 Dedicated Service

✈️ 48 hour shipping

✅ **Lifetime Warranty**

Product Info



2 in 1 Primer Gray (15 oz.) DT-716

Description:

- Excellent surface leveling & easy to sand
- Direct to plastic and metal
- Clog free
- Spray gun finish
- High build



FILL IN CAN (15 oz.) DT-200

Description:

- Contains universal solvent blend
- Works with most solvent based paints
- Spray gun finish
- Clog free



AEROSOLS

DynaTone Aerosol primers are designed as specialty coatings for easy and convenient priming of metal or plastic parts. DynaTone Aerosol primers are designed to seal out moisture and prevent rust, while providing a smooth base for top coat applications. Our Aerosol products have outstanding flexibility and adhesion properties that enable them to be applied to flexible and rigid parts. All of our aerosols are extremely fast drying with superior fill and build characteristics, and compatible with virtually all paints and coatings. Large fan spray head gives a professional looking application. Eliminates the need for a spray gun for small repairs, reduces clean up time. This product saves time and money.

BENEFIT:

- Powerful, pressurized spray can
- Clog-free
- Spray gun finish



 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

Product Info



Epoxy Primer

Description:

- Excellent surface leveling
- Easy to sand
- Direct to most metals and plastics
- Maximum holdout and minimal sand scratch swelling
- Water Born compatible
- High solids
- Can be reduced as a sealer



DT-600
Epoxy Primer 2.1 VOC (gal.)



DT-610
Epoxy Primer Activator (qt.)



DT-612
Epoxy Primer Reducer - Zero Voc (qt.)



Primer Surfacer

- Excellent surface leveling
- Easy to sand
- Direct all Metals, most Plastics and Glass
- Maximum holdout and minimal sand scratch swelling
- Water Born compatible
- High solids
- Can be reduced as a sealer



DT-999
Primer Surfacer 2.1 VOC (gal.)



DT-927
Primer Surfacer Reducer 2.1 VOC (gal.)



Euro Primer

Description:

- Extremely fast drying
- Excellent surface leveling
- Easy to sand
- Direct most metals and plastics
- Maximum holdout and minimal sand scratch swelling
- Water Born compatible
- High solids
- Can be reduced as a sealer



DEP-700
Euro Prime Gray



DEP-701
Euro Prime Black



DEP-702
Euro Prime White



P RIMERS

DynaTone offers a complete line of primers, including 2-component urethane, corrosion resistant epoxies, 1 K sealer, 1K sandable Fillers. All our primers meet or exceed 2.1 VOC Standards with premium quality and performance.

BENEFIT:



- Excellent surface leveling & easy to sand
- Direct to plastic and metal
- White tintable
- 80% Solids



DynaTone Corporation Telephone: (323) 581-5200

Product Info



Crystal Clear 2.1 VOC (gal.)

DT-101

Description:

- High solids
- Water white
- Overall as well as spot and panel clear
- Very high gloss excellent flow
- Easy sand and polish
- Air dry, IR, or bake
- 3 hardeners
- 2.1 VOC



High Velocity 2.1 VOC (gal.)

DT-103

Description:

- Sand and Polish in 45 Minutes
- High solids
- Water white
- Spot and panel clear
- Very high gloss excellent flow
- Easy sand and polish
- Air dry, IR, or bake
- 2.1 VOC



High Performance 2.1 VOC (gal.)

DT-107

Description:

- High solids
- Water white
- Overall as well as spot and panel clear
- Very high gloss factory finish orange peel
- Easy sand and polish
- Air dry, IR, or bake
- 3 hardeners
- 3.5 VOC



PREMIUM CLEARS

DynaTone Clears meet or exceed all U.S. 2.1 & 3.5 VOC legislations. Our clears can be used for spot repairs by changing hardener speeds. Can also be air dried, low bake and I.R. cured.

BENEFIT:

- Rapid dry times
- Easy sand & buff
- 2.1 VOC & 3.5 VOC
- Optimum gloss retention
- UV resistant
- Dust free in 3-5 minutes



Warranty

Fax: (323) 589-4400 Web: www.dynatonecorp.com



BASECOATS

DynaTone basecoat range is an ideal use for vehicle refinish, commercial vehicles and equipment. Excellent for repairing existing OEM two and three stage systems. Formulated with the highest quality range of lightfast pigments to meet the OEM color standards.

BENEFIT:

- Acrylic basecoat
- Outstanding coverage
- Pure color & color consistency
- Excellent adhesion

Product Info



Basecoats

Description:

- Acrylic basecoat
- Pure color & color consistency
- Excellent adhesion



DT-2011
White Basecoat (gal.)



DT-2012
Black Basecoat (gal.)



DT-2900
Basecoat Binder (gal.)



Kick Up Urethane Accelerator DT-617

Description:

- Reduce cure time in all 2k urethanes
- Shorten sanding and buffing times
- Increase productivity and profits

ADDITIVES



DynaTone additives are formulated to enhance our products' performance and color in everyday situations and may be used as universal enhancers for many manufacturers' products. We have offset sheets available on our web site or upon request.

BENEFIT:

Our DTP Pearls can be mixed with our or any intermix system formulas or by themselves to add exciting pearl tones to any project creat-



DynaTone Corporation Telephone: (323) 581-5200

Product Info



Dry Pearl

Description:

- Universal Dry Pearl
- Mixes with any system
- Huge savings



DTP-86
Red / Green Pearl (6 oz.)



DTP-87
Fine Blue Pearl (6 oz.)



DTP-88
Orange Pearl (6 oz.)



DTP-89
Violet Pearl (6 oz.)



DTP-90
Sunset Red Pearl (6 oz.)



DTP-91
Green Pearl (6 oz.)



DTP-92
Frost Pearl (6 oz.)



DTP-93
Tinture Gold Pearl (6 oz.)



DTP-94
Blue / Green Pearl (6 oz.)



DTP-95
Bright White Pearl (6 oz.)



DTP-96
Russet Pearl (6 oz.)



DTP-97
Copper Pearl (6 oz.)



DTP-98
Fine White Pearl (6 oz.)



DTP-99
Fine Russet Pearl (6 oz.)



HARDENERS

DynaTone hardeners can be used with all DynaTone 2K urethane primers or clears. They are high quality isocyanate hardeners for 2k urethane coatings. Our hardeners are water-clear to maintain color consistency. Multiple hardening speeds are offered for various job sizes and climates.

BENEFIT:

- Rapid thorough cure
- Stable
- Completely universal

Product Info



Urethane Hardeners

Description:

- Rapid through cure
- Completely universal
- High solids
- Stable
- 3 speeds



DT-200
Slow Hardener 2.1 VOC (qt.)



DT-201
Medium Hardener 2.1 VOC (qt.)



DT-202
Fast Hardener 2.1 VOC (qt.)



DT-204
Medium Hardener 3.5 VOC (qt.)



DT-205
Fast Hardener 3.5 VOC (qt.)

Warranty

Fax: (323) 589-4400 Web: www.dynatonecorp.com

ZERO AND LOW VOC GO GREEN With Solvent



Zero Voc Binder DT-9000

Description:

- DynaTone Zero Voc Binder is an ideal to reduce the VOC of nearly any automotive Basecoat system. With the introduction of this binder you can achieve 3.5 VOC and much lower (AQMD rule 1151)
- DynaTone Zero Voc Binder has a *lifetime warranty* even when mixed with other paint brands
- Solvent based
- Lowers VOC
- Improves metallic control
- Mixes with virtually all brands of automotive paint
- **Lifetime Warranty**

 **Lifetime Warranty**

DynaTone Corporation Telephone (323) 581-5200 Fax: (323) 589-4400 Web www.dynatonecorp.com

BASECOAT

DynaTone *Low Voc Basecoat* range is an ideal use for vehicle refinish, commercial vehicles and equipment. Excellent for repairing existing OEM two and three stage systems. Formulated with the highest quality range of lightfast pigments to meet the OEM color standards.

BENEFIT:

- VOC compliant
- Acrylic basecoat
- Pure color & color consistency
- Excellent adhesion

Product Info



Zero Voc Basecoat

Description:

- VOC Compliant
- Acrylic basecoat
- Pure color & color consistency
- Excellent adhesion



DT-9011
Low Voc White Basecoat (1.5 gal.)



DT-9012
Low Voc Black Basecoat (1.5 gal.)



DT-9013
Low Voc Coarse Silver Basecoat (1.5 gal.)



DT-9014
Low Voc Fine Silver Basecoat (1.5 gal.)



DT-9015
Low Voc Corvette Yellow Basecoat (1.5 gal.)



DT-9016
Low Voc Bright Red Basecoat (1.5 gal.)

REDUCER

DynaTone *Zero Voc Reducers* are specifically formulated to reduce DynaTone and all other brands of automotive paint. Manufactured with virgin solvent from the worlds largest solvent supplier, these products are matched to our system as well as many others for premium performance. DynaTone comparable reducers for major brand products offer excellent quality and performance, at a competitive price.

Product Info



Zero Voc Reducer

Description:


- Zero VOC
- Virgin solvent
- 3 speeds
- Excellent flow



DT-9001
Zero Voc Reducer Fast



DT-9002
Zero Voc Reducer Medium



DT-9003
Zero Voc Reducer Slow



ZERO VOC
ZERO VOC
Go Green. Save Our Planet

 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

Product Info



Single Stage

Description:

- 6 FACTORY PACK COLORS
- Acrylic urethane
- 4:1 mix Ratio
- 2.1 VOC
- **Lifetime Warranty**



DT-800
Single Stage Black



DT-801
Single Stage White



DT-804
Single Stage Bright Red



DT-805
Single Stage Corvette Yellow



DT-806
Single Stage Coarse Silver



DT-807
Single Stage Fine Silver




SINGLE STAGE

DynaTone Single Stage products are 2.1 VOC compliant, high-solid urethanes. It's the ultimate choice for durability and excellent chemical resistance. It stands up to Skydol, put it to the test.

BENEFIT:



- Excellent flow, leveling & non-sag properties
- Flexible & hardens rapidly
- High build & UV resistant
- Excellent hiding power and gloss retention
- Provides long term durability
- Can be air-dried, low baked or IR cured
- Once cured it can be easily cut and polished



 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com



WHEN VALUE COUNTS



DynaTone introduces the new refinish line Formula 77, newly developed as an economical commodity. Formula 77 includes urethane primers and clears designed to meet all current 2.1 VOC legislation as well as the national rule 3.5 VOC. This product range is great for spot repair and overall vehicle refinishing. We offer a universal hardener that works equally well on primers and clearcoats. Compare Formula 77 to your favorite brand and you'll find top quality at a fraction of the cost.

Product Info >>>



Production Clear 2.1 VOC (gal.)
PC-100

Description:

- Value Priced
- High gloss
- 3 hardeners easy sand & buff
- 2.1 voc
- **Lifetime Warranty**

BENEFIT:



- Value-Priced
- Low VOC options
- ALSA coating technologies, the world
- Leader in coating innovations
- Complete line including primers and clears



PH-100
Medium Hardener 2.1 VOC (qt.)

Product Info



FB-100
Flat Black 2.1 VOC (gal.)



FB-100
Flat Black 2.1 VOC (qt.)

new!

Flat Black

Description:

- Value priced
- Jet black
- 3 hardeners
- **Lifetime Warranty**



Lifetime Warranty

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

SINGLE STAGE / BASECOAT INTERMIX *systems*

new!

DynaTone Autobody Products



“Thousand of color options with the best prices and quality on the market. Guaranteed!”

You can have absolute confidence in the performance of DynaTone toners. DynaTone is the largest manufacturer and distributor of automotive refinish paint products in the country, outside the major national paint companies. Our skilled chemists have spent thousands of man-hours, in a very well equipped R & D laboratory, along with the resources of many of the world's largest and most technically advanced raw-material suppliers, to develop these toners to exacting specifications. Hundreds of thousands of basecoat and single-stage colors have been mixed and tested in our lab and in body shops. These tests confirm the excellent performance, quality, color accuracy and consistency of each DynaTone toner.

Color match is everything. Without it, the best paint technology is useless. That's why we put years and thousands of hours into developing our Intermix System. DynaTone *Intermix System Toners* are the heart of Single Stage, a world-class, high performance single-stage paint system.

The Dynatone Intermix System offers you

- Color match comparable to world-class paint manufacturers
- Single stage, custom colors that can be mixed from one system
- 50%-60 % cost savings



 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

SINGLE STAGE INTERMIX

Color Documentation

Color Fan Deck

It's a fact that in order to properly sell or use a single stage system you need excellent color documentation. Our world class fan deck has actual color sprayed on each chip. Without this tool color-matching can be extremely time-consuming and difficult.



- Large chip size for easy comparison to vehicle
- Fan decks designed for maximum usability
- Constant color updates
- Solids and Metallic colors



In Store Display

DynaTone recognizes that color needs to be shown in order to sell it, that is why we have put together a top of the line single stage in store display. This allows all walk in customers to be able to touch and feel an actual painted part. This display has an assortment of 45 of the most popular colors including solid and coarse metallic colors.

Complete System Manual



With DynaTone's easy to use complete system manual we have thought of everything! This guide provides easy at your fingertips access to our entire paint system, not only does it provide at your immediate access but it will also give you your own customized user name and login to access our entire online formula library. With this password and login you are only a click away from thousands of formulas.

- Intermix user name and password
- Formula Booklet/Guide
- Mixed color costing Guide
- Tech Data Sheets
- Color Wheel
- Price Guide
- Offset sheets

Retrieval System



Without easy-to-find, accurate paint formulas, the best intermix toners are useless. That's why we developed the revolutionary intermix computerized formula retrieval system for painters. Fast, accurate, and easy to use, AccuShade® was designed with leading-edge computer technology. The intermix Color Retrieval System offers you:

- Simple, easy-to-use Web based software
- Single screen formula selection
- Internet connection readiness

The intermix Color Retrieval System gives you access to color information, paint, clearcoat and primer tech sheets, MSD sheets, VOC tracking and our website. Finding the right paint formulas and information you need just got easier with DynaTone.

Lifetime Warranty

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

SINGLE STAGE INTERMIX

Single Stage Solid

Can be used on the following:

- Vehicles, implements and trailers
- Industrial plants and mills
- Chemical processing plants
- Refineries, storage tanks and piping
- Buildings, structural steel and roofdecks
- Marine vessels and offshore structures




DTS-100
Artic White




DTS-101
Antique White




DTS-102
Marry K. Pink




DTS-103
Copper Beige




DTS-104
Caterpillar Yellow




DTS-105
Allis Chalmers Orange




DTS-106
Bright Orange




DTS-107
Bright Red




DTS-108
Radiant Red




DTS-109
Apple Red




DTS-110
Dark Purple




DTS-111
Light Purple




DTS-112
Deep Blue




DTS-113
True Blue



DTS-114
Baby Blue




DTS-115
Dark Green



DTS-116
Viper Green




DTS-117
Sea Foam Green



DTS-118
Dark Brown



DTS-119
Light Brown



DTS-120
Dark Grey




DTS-121
Oxford Grey

Single Stage Metallic

Can be used on the following:

- Vehicles, implements and trailers
- Industrial plants and mills
- Chemical processing plants
- Refineries, storage tanks and piping
- Buildings, structural steel and roofdecks
- Marine vessels and offshore structures




DTS-123
Silver Coarse Metallic




DTS-124
Light Gold Coarse Metallic




DTS-125
Gold Coarse Metallic




DTS-126
Spectra Gray Coarse Metallic




DTS-127
Dark Gray Coarse Metallic




DTS-128
Black Coarse Metallic



DTS-129
Ascot Blue Coarse Metallic



DTS-130
Light Blue Coarse Metallic



DTS-131
Aqua Blue Coarse Metallic




DynaTone Corporation Telephone (323) 581-5200


Product Showcase




DTS-132
Raspberry Coarse
Metallic




DTS-133
Red Coarse Metallic




DTS-134
True Green Coarse
Metallic



DTS-135
Oxford Green Coarse
Metallic



DTS-136
Red Coarse Metallic




DTS-137
Fathom Blue Coarse
Metallic




DTS-138
Blue Coarse Metallic



DTS-139
Light Brown Coarse
Metallic



DTS-140
Dark Brown Coarse
Metallic



DTS-141
Sienna Coarse
Metallic

Single Stage Tintable

Can be used on the following:


- Vehicles, implements and trailers
- Industrial plants and mills
- Chemical processing plants
- Refineries, storage tanks and piping
- Buildings, structural steel and roofdecks
- Marine vessels and offshore structures
- Tintable to any shade with only 3-10% toner.




DTM-100
Bright Yellow



DTM-101
Canary Yellow



DTM-102
Golden Yellow




DTM-103
Yellow Oxide




DTM-104
Mandarin




DTM-105
Red Oxide




DTM-106
Chroma Red




DTM-107
Magenta




DTM-108
True Blue




DTM-109
Dark Blue




DTM-110
Green




DTM-111
Light Green




DTM-112
Black



DTM-113
Light Gray



DTM-114
Medium Gray



DTM-115
White



Warranty

Fax: (323) 589-4400 Web: www.dynatonecorp.com

SINGLE STAGE INTERMIX

Mixing Toners

Product ID	Product Name	Description
DTX-100	Chroma Red	Used where very chromatic red is needed
DTX-102	Deep Red	Used in darker shades of red
DTX-103	Bright Red	Used in bright red solid colors
DTX-104	Yellow Oxide	Used for a reddish yellow tinting and pastel solids. Has a yellow tint with a yellow flop in metallics.
DTX-105	Trans Yellow Oxide	Used for a rich yellow tint in metallics.
DTX-106	Lemon Chrome Yellow	Used in substantial amounts to give a bright greenish hue. Typically used in solid colors.
DTX-107	Medium Chrome Yellow	Used in substantial amounts to give a bright yellow hue. Typically used in solid colors.
DTX-108	Greenshade Yellow	Most affective when a deep flop is desired. Used in solid, metallic, pearl.
DTX-109	Brilliant Yellow	Used as a yellowish orange tint. Typically in solid colors.
DTX-110	Bright Orange	Used as reddish orange tint. Typically used in solid colors.
DTX-111	Chroma Orange	Highly chromatic orange very effective as a primary colorant. Can be used in low concentrations to adjust flop as desired.
DTX-112	Magenta	Magenta is used where a lighter yellower flop is desired.
DTX-113	Quindo Violet	Very reddish Violet. It is extremely effective adjusting red bluer will maintain a deep, rich flop. Used in solid, metallic and pearl colors.
DTX-114	Blue GS	Used a green blue tint in solid and metallic colors.
DTX-115	Blue RS	Red shade blue is most effective when the color allow for a red shade at all angles.
DTX-116	Carb Violet	Extremely strong reddish violet tint. Recommended to be used in low concentrations to shift blues redder and reds blues.
DTX-117	Green BS	Used in solids, metallics and pearl colors.
DTX-118	Green YS	Used a green tint in solid and metallic colors. Used as a yellow green tint in solid or metallics colors.
DTX-119	Strong Black	Primarily used in tinting.
DTX-120	Strong White	Primarily used in tinting.
DTX-121	Coarse Silver	Course metallics.
DTX-122	Fine Silver	Fine gray metallics.
DTX-123	Red Oxide	Used primarily in solid colors.
DTX-124	Green Oxide	Used primarily in solid colors.
DTX-125	Perylene Maroon	Highly concentrated tint paste used as a blue-red tint in pastel or metallic colors.
DTX-126	Perylene Red	Used to give a blue-red tint in metallics.
DTX-127	Trans Red	Highly concentrated used to give red-gold tint in metallics, as well as beige tints in pastels.
DT-801	Pure White	Used in whites and pastels when the bulk of the formula is white.
DT-802	Jet Black	Deep shade carbon black. Used when large amount of blk is needed.

 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com



WHEN VALUE COUNTS



new!

The Formula 77 aerosols are designed to offer the collision repair market with the most popular products in an easy to use aerosol format. DynaTone's Formula 77 Aerosol line is competitively priced and will meet or exceed the performance your customers have come to expect from many of today's leading brands at a fraction of the cost. The formula 77 Aerosol line is made up of High Build Primer Gray, Guide Coat, and many more to come.

Product Info



Guide Coat 2.1 VOC GC-100

Description:

- Value Priced
- Matte finish
- Spray like a gun
- Black color
- Low voc



Speed Prime 2.1 VOC SP-100

Description:

- Value Priced
- Quick dry
- Easy sanding
- Grey color
- Low voc

BENEFIT:



- The FANSPRAY valve requires 50% less finger pressure
- Allows greater coverage with less overspray
- Manipulates like a professional spray gun



 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com

ACCESSORIES

new!



Mixing Lids

Fast & Accurate Pouring

- Designed with a precision pouring spout and plastic closure blade
- Improved venting allows for greater efficiency with volume paint matching

Easy Maintenance

- The plastic closure blade and seal can be removed for easy cleaning

Available Sizes: Quart, gallon



PlatForm Riser

- Galvanized steel for easy clean up
- Platforms allow the user to place a quart (1 liter) can on a gallon (4L) shelf
- Magnetic attachment for easy positioning
- Plastic platforms are also available for older style mixing machines



Pearl Holders

- It can hold up to 30 Pearls
- Mounts easily on the machine or wall



Dymo Label Printer

The DynaTone intermix system has been designed to work with the DYMO Label printer as well as any other printer.



The Filling Machine

Filling is easy. Simply add 3.3 ounces of any of our high quality automotive paints to the fill-in cup, place in the machine with the pre-filled can and press and hold the button. In less than five seconds you're ready to fill another can. Clean up is easy. Simply place the reusable fill-in cup in a plastic cup of solvent and wipe it clean with a rag. These cans can also be filled with any other brand of urethane products.

POINT OF PURCHASE DISPLAY

new!



CRYSTAL CLEAR

- 12 Quarts Crystal Clear (DT-101Q)
- 12 Half pints Medium Hardener (DT-201HP)

PRIMER SURFACE

- 12 Quarts Primer Surfacer (DT-999Q)
- 12 Half pints Medium Hardener (DT-201HP)

PRODUCTION CLEAR

- 12 Quarts Production Clear (PC-100Q)
- 12 Half pints Medium Hardener (PH-100HP)

SINGLE STAGE


- 12 Quarts 2k Single Stage
- 12 Half pints Medium Hardener (DT-201HP)

FLAT BLACK

- 12 Quarts Flat Black (FB-100)
- 12 Half pints Medium Hardener (PH-100HP)

 **Lifetime Warranty**






DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com



PRIVATE LABEL

WE CAN MAKE ANY PAINT. PUT IT TO THE TEST!

With more than 20 years experience in the global coating market, brand name recognition in over 75 countries, proven product leadership and constant product development, we continue to stay ahead of the curve. The ALSA Corporation sets the global standard for automotive collision repair and exotic products. We help you grow and develop your individualized markets through advanced technology, specialized formulas tailored to your needs, a comprehensive line of automotive refinish and paint products, and personalized sales and marketing assistance. See how our experience and world-class service can help you grow and develop your business.

-  Work with our graphics department as it were yours
-  Custom Label, Catalog, and marketing material design
-  Custom formulation
-  Thousands of existing tested and proven formulation
-  Multiple size packaging available

Jobber Please Inquire 1- 800-999-4120

 **Lifetime Warranty**

DynaTone Corporation Telephone: (323) 581-5200 Fax: (323) 589-4400 Web: www.dynatonecorp.com



DYNATONE CORP
2640 E. Vernon Street
Vernon, CA 90058

Presorted Standard
U.S. Postage
PAID
Permit No. 3132
Los Angeles, CA

DynaTone Corporation

2640 E.37th Street Vernon, CA 90058 U.S.A.

Telephone: (323) 581-5200

Toll Free: (800) 999-4120

Fax: (323) 589-4400

Web: www.dynatonecorp.com